Serial No.: 10/527,345

IN THE CLAIMS:

Patent claims. CLAIMS:

- 1. (Currently Amended) The use of a nucleic acid (1) for detecting an explosive—(2), wherein the nucleic acid (1) specifically binds to a partial molecular structure (3) or the overall molecular structure of the explosive—(2), and wherein a binding event between the partial molecular structure (3) or the overall molecular structure and the nucleic acid (1) is detected.
- 2. (Currently Amended) The use according to claim 1, wherein the partial molecular structure (3) carries available oxygen directly bound to a nitrogen atom or to several nitrogen atoms.
- 3. (Currently Amended) The use according to claim 2, wherein the partial molecular structure (3) is selected from the group consisting of [["]]nitrites, nitrates, nitro and nitroso compounds[["]].
- 4. (Currently Amended) The use according to one of claims 1 to 3 claim 1, wherein the explosive is selected from the group consisting of [["]]nitrobenzol derivatives, TNT, 2,4-DNT, 2,6-DNT, 2-NT, picric acid, hexogen, octogen, hexyl, tetryl, ethylene glycol dinitrate, diethylene glycol dinitrate, nitroglycerin, nitropenta and derivatives of such compounds[["]].
- 5. (Currently Amended) The use according to one of claims 1 to 4 claim 1, wherein the nucleic acid (1) is selected from the group consisting of [["]]sequences of Figs. 8 and 9 or any fragments of these sequences having a length of at least 6, in particular at least 10 nucleotides.[["]]

Serial No.: 10/527,345

6. (Currently Amended) The use according to one of claims 1 to 5 claim 1, wherein a binding event is detected by measurement of a signal of a detector molecule (5) being marked, in particular fluorescence-marked (4) and competitively replaced in the binding to the nucleic acid (1) by a molecule of the explosive (2).

- 7. (Currently Amended) The use according to one of claims 1 to 6 claim 1, wherein the nucleic acid (1), as an option by a spacer compound (6), is immobilized at a solid body surface (7), in particular the surface of an optic fiber (8).
- 8. (Currently Amended) The use according to claim 6 or 7 claim 6, wherein the signal is generated by decrease or increase of the signal intensity of bound detector molecules (5).
- 9. (Currently Amended) The use according to one of claims 6 to 8 claim 6, wherein the signal is generated by increase of the signal intensity of released detector molecules (5).
- 10. (Currently Amended) A nucleic acid (1) for use according to one of claims 1 to 9 claim 1 according to one of the sequences of Figs. 8 and 9 or any fragments of these sequences having a length of at least 6, in particular at least 10 nucleotides.
- 11. (Currently Amended) A device for detecting an explosive (2) with a nucleic acid (1) being specific for a partial molecular structure (3) of the explosive-(2), preferably immobilized at a solid body surface-(7), comprising means for detecting a binding event (9) between the partial molecular structure (3) and the nucleic acid-(1) and comprising means for feeding a sample (10) to the nucleic acid-(1).

Serial No.: 10/527,345

12. (Currently Amended) A device according to claim 11, wherein the nucleic acid (1) is immobilized by a spacer compound (6) at an optic fiber-(8), wherein the nucleic acid (1) is loaded with a fluorescence-marked (4) detector molecule—(5), wherein the binding force nucleic acid (1)/detector molecule (5) is lower than the binding force nucleic acid (1)/partial molecular structure—(3), wherein a light source (11) for the fluorescence excitation of the detector molecules (5) is provided, wherein the optic fiber (8) is connected to a fluorescence detector—(9), and wherein at least a part of the optic fiber (8) is arranged in a sample gas or liquid space (12), whereinto into which a gas or liquid sample (13) can be supplied.